

---

## References

- Aas G. & Riedmiller A. (1996) *Trees of Britain and Europe*. Harper Collins Publishers, Italy.
- Agyeman V. K., Swaine M. D. & Thompson J. (1999) Responses of tropical forest tree seedlings to irradiance and the derivation of a light response index. *Journal of Ecology* 87: 815-827.
- Aldhous J. R. (1995) *Our Pinewood Heritage*. Forestry Commission, Surrey.
- Anderson M. C. (1964) Studies of woodland light climate: I. The photosynthetic computation of light conditions. *Journal of Ecology* 52: 27-41.
- Anderson M. L. (2002) *The Selection of Tree Species*. Castlepoint Press, Dalbeattie.
- Anon. (1994) *Sustainable Forestry: the UK Programme*. HMSO, London.
- Anon. (1995) *Biodiversity: the UK Steering Group Report*. HMSO, London.
- Anon. (1998) *The Caledonian Pinewood Inventory*. Forestry Commission, Edinburgh.
- Anon. (2000) *Forests for Scotland: the Scottish Forestry Strategy*. Forestry Commission, Edinburgh.
- Anon. (2003a) *Native Pinewoods: 7. The Management of Semi-Natural Woodlands* Forestry Practice Guide 7. The Forestry Commission, Edinburgh.
- Anon. (2003b) *Scottish Forestry Grants Scheme: Application Booklet*. Forestry Commission, Edinburgh.
- Arkle P. & Edwards C. (1996) *Age Distribution of Native Scots Pine Trees in Glen Affric*. Forestry Commission, Contact Report SILV.
- Armstrong W., Booth T. C., Priestley P. & Read D. J. (1976) The relationship between soil aeration, stability and growth of Sitka spruce (*Picea sitchensis* Bong. Carr) on upland peaty gleys. *Journal of Applied Ecology* 13: 585-591.
- Ashton M. S., Gunatilleke C. V. S., Singhakumara B. M. P. & Gunatilleke I. A. U. N. (2001) Restoration pathways for rain forest in southwest Sri Lanka: a review of concepts and models. *Forest Ecology and Management* 154: 409-430.
- Aspinall R. (1994) Use of geographic information systems for interpreting land-use policy and modelling the effects of land-use change. In: *Landscape Ecology and GIS* (eds R. Haines-Young, D. R. Green and S. H. Cousins) pp. 223-236. Taylor & Francis, London.

## References

---

- Atkinson C. J. (1984) Quantum flux density as a factor controlling the rate of growth, carbohydrate partitioning and wood structure of *Betula pubescens* seedlings. *Annals of Botany* 54: 397-411.
- Atkinson M. D. (1992) *Betula pendula* Roth (*B. verrucosa* Ehrh) and *Betula pubescens* Ehrh. *Journal of Ecology* 80: 837-870.
- Averis A. B. G. (1994) *Vegetation Survey of Glen Affric, Inverness District, Scotland*.
- Baker F. S. (1945) A revised tolerance table. *Journal of Forestry* 47: 179-181.
- Barbour M. G. & Billings W. D. (1988) *North American Terrestrial Vegetation*. Cambridge University Press, New York.
- Barclay A. M. & Crawford R. M. M. (1982) Winter desiccation stress and resting bud viability in relation to high-altitude survival in *Sorbus aucuparia*. *Flora* 172: 21-34.
- Barclay A. M. & Crawford R. M. M. (1984) Seedling emergence in the rowan (*Sorbus aucuparia*) from an altitude gradient. *Journal of Ecology* 72: 627-636.
- Battaglia L. L., Fore S. A. & Sharitz R. R. (2000) Seedling emergence, survival and size in relation to light and water availability in two bottomland hardwood species. *Journal of Ecology* 88: 1041-1050.
- Bazzaz F. A. (1979) The physiological ecology of plant succession. *Annual Review of Ecology and Systematics* 10: 351-371.
- Bazzaz F. A. & Pickett S. T. A. (1980) Physiological ecology of tropical succession: a comparative review. *Annual Review of Ecology and Systematics* 11: 287-310.
- Beaumont D., Dugan D., Evans G. & Taylor S. (1995) Deer management and tree regeneration in RSBP reserve at Abernethy Forest. *Scottish Forestry* 49: 155-161.
- Bennett K. D. (1995) Post-glacial dynamics of pine (*Pinus sylvestris* L.) and pinewoods in Scotland. In: *Our Pinewood Heritage. Conference Proceedings* (ed J. R. Aldhous) pp. 23-39. Forestry Authority, Surrey.
- Bjorkman O. & Holmgren P. (1963) Adaptability of the photosynthetic apparatus to light intensity in ecotypes from exposed and shaded habitats. *Physiologia Plantarum* 16: 889-914.
- Boardman N. K. (1977) Comparative photosynthesis of sun and shade plants. *Annual Review of Plant Physiology* 28: 355-377.
- Bongers F. & Popma J. (1990) Leaf dynamics of seedlings of rainforest species in relation to canopy gaps. *Oecologia* 82: 122-127.

- Bourdeau P. F. & Laverick M. L. (1958) Tolerance and photosynthetic adaptability to light intensity in White Pine, Hemlock and Ailanthus seedlings. *Forest Science* 4: 196-207.
- Bridgham S. D., Faulkner S. P. & Richardson C. J. (1991) Steel rod oxidation as a hydrologic indicator in wetland soils. *Soil Science Society of American Journal* 55: 856-862.
- Brown N. (1997) Re-defining native woodlands. *Forestry* 70: 191-197.
- Brown N. D. & Jennings S. (1998) Gap-size niche differentiation by tropical rainforest trees: A testable hypothesis or a broken-down band wagon? In: The 37th symposium of the British Ecological Society (eds D.H. Newbury, H.H.T. Prins and N.D. Brown) pp. 39-94. Blackwell Science, London
- Brown N. D., Jennings S., Wheeler P. & Nabe-Nielsen J. (2000) An improved method for the rapid assessment of forest understorey light environments. *Journal of Applied Ecology* 37: 1044-1053.
- Burns R. M. & Honkala B. H. (1990) *Silvic of North America*. Volume 2. Agricultural Handbook 654. Forest Service United States Department of Agriculture, Washington, DC.
- Burslem D. F. R. P., Garwood N. C. & Thomas S. C. (2001) Tropical forest diversity - The plot thickens. *Science* 291: 606-607.
- Callaway R. M., Pennings S. C. & Richards C. L. (2003) Phenotypic plasticity and interactions among plants. *Ecology* 84: 1115-1128.
- Cameron E. J. F. (1995) The regeneration of existing pinewoods. In: *Our Pinewood Heritage* (ed J. R. Aldhous) pp. 155-164. Forestry Commission, Surrey.
- Canham C. D. (1989) Different responses to gaps among shade-tolerant tree species. *Ecology* 70: 548-550.
- Canham C. D., Berkowitz A. R., Kelly V. R., Lovett G. M., Ollinger S. V. & Schnurr J. (1996) Biomass allocation and multiple resource limitation in tree seedlings. *Canadian Journal Of Forest Research* 26: 1521-1530.
- Carlisle A. & Brown A. H. F. (1968) Biological Flora of the British Isles; *Pinus sylvestris*. *Journal of Ecology* 56: 269-307.
- Carnell R. & Anderson M. A. (1986) A technique for extensive field measurement of soil anaerobism by rusting of steel rods. *Forestry* 59: 129-140.
- Carter R. E. & Klinder K. (1992) Variation in shade tolerance of Douglas fir, western hemlock and red cedar in coastal British Columbia. *Forest Ecology and Management* 55: 87-105.

## References

---

- Causton D. R. (1991) Plant-growth analysis - the variability of relative growth-rate within a sample. *Annals of Botany* 67: 137-144.
- Chang S. X. & Robison D. J. (2003) Non-destructive and rapid estimation of hardwood foliar nitrogen status using the SPAD-502 chlorophyll meter. *Forest Ecology and Management* 181: 331-338.
- Chapin F. S. (1980) The mineral nutrition of wild plants. *Annual Review of Ecology and Systematics* 11: 233-260.
- Chapin F. S., Bloom A. J., Field C. B. & Waring R. H. (1987) Plant responses to multiple environmental factors. *Bioscience* 37: 49-57.
- Chazdon R. L. (1992) Photosynthetic plasticity of two rainforest shrubs across natural gap transects. *Oecologia* 92: 586-595.
- Clearwater M. J., Nifinluri T. & van Gardingen P. R. (1999) Forest fire smoke and a test of hemispherical photography for predicting understorey light in Bornean tropical rain forest. *Agricultural and Forest Meteorology* 97: 129-139.
- Coleman J. S., McConnaughay K. D. M. & Ackerly D. D. (1994) Interpreting phenotypic variation in plants. *Tree* 9: 187-191.
- Coley P. D. (1993) Gap size and plant defenses. *Trends in Ecology & Evolution* 8: 1-2.
- Comeau P. (2000) *Measuring Light in the Forest*. Extension Note 42: 1-7. Ministry of Forestry, Victoria, British Columbia.
- Coomes D. A. & Grubb P. J. (2000) Impacts of root competition in forests and woodlands: A theoretical framework and review of experiments. *Ecological Monographs* 70: 171-207.
- Coomes D. A. & Grubb P. J. (2003) Colonization, tolerance, competition and seed-size variation within functional groups. *Trends in Ecology & Evolution* 18: 283.
- Cornelissen J. H. C. (1994) Effects of canopy gaps on the growth of tree seedlings from subtropical broad-leaved evergreen forests of southern China. *Vegetatio* 110: 43-54.
- Cornelissen J. H. C., Castro-Diez P. & Carnelli A. L. (1998) Variation in relative growth rate among woody species. In: *Inherent Variation in Plant Growth. Physiological Mechanisms and Ecological Consequences* (eds H. Lambers, H. Poorter, and M. M. I. Van Vuuren) pp. 363-392. Backhugs Publishers, Leiden.
- Cornelissen J. H. C., Diez P. C. & Hunt R. (1996) Seedling growth, allocation and leaf attributes in a wide range of woody plant species and types. *Journal of Ecology* 84: 755-765.

- Corre W. J. (1983a) Growth and morphogenesis of sun and shade plants. 1. The influence of light intensity. *Acta Botanica Neerlandica* 32: 49-62.
- Corre W. J. (1983b) Growth and morphogenesis of sun and shade plants .3. The combined effects of light-intensity and nutrient supply. *Acta Botanica Neerlandica* 32: 277-294.
- Council Regulation EEC No.1973/92 (2003) Establishing a financial instrument for the environment (LIFE). *Official Journal of the European Communities* 35: 1-6.
- Crabtree R. C. & Bazzaz F. A. (1993) Seedling response of four birch species to simulated nitrogen deposition - ammonium vs nitrate. *Ecological Applications* 3: 315-321.
- Crowell M. (1998) *Performance of Pinus sylvestris Seedlings in a Restoration of Caledonian Forest*. Unpublished PhD Thesis, University of Cambridge.
- Cummins R. P. (1982) Damage by red deer (*Cervus elaphus*) enclosed in planted woodland. *Scottish Forestry* 36: 1-8.
- Davies A. L. (1999) *High Spatial Resolution Holocene Vegetation and Land-Use History in West Glen Affric and Kintail, Northern Scotland*. Unpublished PhD Thesis, University of Stirling.
- Davies W. J. & Pigott C. D. (1984) Shade tolerance of forest trees. *NERC News Journal* 3: 17-18.
- Dehullu E. & Gimingham C. H. (1984) Germination and establishment of seedlings in different phases of *Calluna* life-cycle in a Scottish Heathland. *Vegetatio* 58: 115-121.
- Del Hierro A. M., Kronberger W. & Richter H. (2000) Chloroplast movements in leaves of two evergreen sclerophyllous plants (*Ilex aquifolium* and *Prunus laurocerasus*). *Plant Biosystems* 134: 297-304.
- DeLucia E. H., Sipe T. W., Herrick J. & Maherali H. (1998) Sapling biomass allocation and growth in the understory of a deciduous hardwood forest. *American Journal of Botany* 85: 955-963.
- Denslow J. S., Schultz J. C., Vitousek P. M. & Strain B. R. (1990) Growth responses of tropical shrubs to treefall gap environments. *Ecology* 71: 165-179.
- Drew M. C. (1997) Oxygen deficiency and root metabolism: injury and acclimation under hypoxia and anoxia. *Annual Review of Plant Physiology and Plant Molecular Biology* 48: 223-250.
- Duncan P. (1983) Determinants of the use of habitat by horses in a Mediterranean wetland. *Journal of Animal Ecology* 52: 93-109.

## References

---

- Dutton R. A. & Bradshaw A. D. (1982) *Land Reclamation in Cities*. HMSO, London.
- Edwards, C. & Nixon, C. J. (1999) The potential role of uneven-aged management in Scots pine forests in northern Britain: studies of age structure and stand dynamics. In: IUFRO Interdisciplinary uneven-aged management symposium (ed W.H. Emmingham) pp 37-45. Corvallis, Oregon.
- Ellenberg H. (1988) *Vegetation Ecology of Central Europe*. Cambridge University Press, Cambridge.
- Elliott S., Navakitbumrung P., Kuarak C., Zangkum S., Anusarnsunthorn V. & Blakesley D. (2003) Selecting framework tree species for restoring seasonally dry tropical forests in northern Thailand based on field performance. *Forest Ecology and Management* 184: 177-191.
- Ellsworth D. S. & Reich P. B. (1992) Leaf mass per area, nitrogen content and photosynthetic carbon gain in *Acer Saccharum* seedlings in contrasting forest light environments. *Functional Ecology* 6: 423-435.
- Emmer I. M., Fanta J., Kobus A. T., Kooijman A. & Sevink J. (1998) Reversing borealization as a means to restore biodiversity in Central-European mountain forests - an example from the Krkonose Mountains, Czech Republic. *Biodiversity and Conservation* 7: 229-247.
- Engelmark O., Kullman L. & Bergeron Y. (1994) Fire and age structure of Scots pine and Norway Spruce in northern Sweden during the past 700 years. *New Phytologist* 126: 163-168.
- Evans G. C. (1972) *The Quantitative Analysis of Plant Growth*. Blackwell Scientific Publications, Oxford.
- Evans J. (1984) *Silviculture of Broadleaved Woodland*. Forestry Commission Bulletin 62. HMSO, London.
- Evans J. (1988) *Natural Regeneration of Broadleaves*. Forestry Commission Bulletin 78. HMSO, London.
- Featherstone A. W. (1997) The wild heart of the Highlands. *Ecos* 18: 48-61.
- Federer C. A. & Tanner C. B. (1966) Spectral distribution of light in the forest. *Ecology* 47: 555-566.
- Fenner M. (1983) Relationship between seed weight, ash content and seedling growth in twenty-four species of Compositae. *New Phytologist* 95: 697-706.
- Findlay C. (1998) The tree planter's guide to rowan. *Reforesting Scotland* 19(4): 26-27.

- Finer L. & Laine J. (2000) The ingrowth bag method in measuring root production on peatland sites. *Scandinavian Journal of Forest Research* 15: 75-80.
- Forest Enterprise (1997) *Glen Affric Caledonian Forest Reserve Endangered Habitat Management Plan*. Unpublished internal report.
- French D. D., Miller G. R. & Cummins R. P. (1997) Recent development of high-altitude *Pinus sylvestris* scrub in the Northern Cairngorm mountains, Scotland. *Biological Conservation* 79: 133-144.
- Fricke K. (1904) Licht- und Schattenholzarten, ein wissenschaftlich nicht begründetes Dogma. *Centralblatt für das gesamte Forstwesen* 30: 315-325.
- Gardner G. (1975) Light and the growth of ash. In: *Light as an Ecological Factor II* (eds G. C. Evans, O. Rackham, and R. Bainbridge) pp. 557-563. Blackwell Scientific Publications, Oxford.
- Gill R. M. A., Gurnell J. & Trout R. C. (1995) Do woodland mammals threaten the development of new woods? In: *The Ecology of Woodland Creation* (ed R. Ferris-Kaan) pp. 201-224. John Wiley & Sons, Chichester.
- Gillham C. M. (1980) *The Biology of Rowan (Sorbus aucuparia L.)*. *The Ecology of Sorbus aucuparia, Taxonomy of Sorbus Section aucuparia, and the use of those Species as Amenity Trees*. Unpublished MSc. Dissertation, University of Liverpool.
- Gimingham C. H. (1960) Biological flora of the British Isles; *Calluna*. *Journal of Ecology* 48: 455-483.
- Givnish T. J. (1988) Adaptation to sun and shade - a whole-plant perspective. *Australian Journal of Plant Physiology* 15: 63-92.
- Gray A. N. & Spies T. A. (1997) Microsite controls on tree seedling establishment in conifer forest canopy gaps. *Ecology* 78: 2458-2473.
- Greene D. F., Zasada J. C., Sirois D. & Kneeshaw D. (1999) A review of the regeneration dynamics of North American boreal forest tree species. *Canadian Journal of Forest Research* 29: 824-839.
- Grime J. P. (1965) Comparative experiments as a key to the ecology of flowering plants. *Ecology* 46: 513-515.
- Grime J. P. (1966) Shade avoidance and shade tolerance in flowering plants. In: *Light as an Ecological Factor* (eds R. Bainbridge, G. C. Evans, and O. Rackham) pp. 187-207. Blackwell Scientific Publishers, Oxford.
- Grime J. P. (1979) *Plant Strategies and Vegetation Processes*. Wiley, Chichester.
- Grime J. P. (1982) The concept of strategies: use and abuse. *Journal Of Ecology* 70: 863-865.

## References

---

- Grime J. P. & Hillier S. H. (1992) The contribution of seedling regeneration to the structure and dynamics of plant communities and larger units of landscape. In: *Seeds. The Ecology of Regeneration in Plant Communities* (ed M. Fenner) pp. 349-364. CAB International, Wallingford.
- Grime J. P., Hodgeson J. G. & Hunt R. (1988) *Comparative Plant Ecology: A Functional Approach to Common British Species*. Unwin Hyman, London.
- Grime J. P. & Hunt R. (1975) Relative Growth Rate: Its range and adaptive significance in the local flora. *Journal of Ecology* 63: 393-422.
- Grime J. P. & Jeffrey D. W. (1965) Seedling establishment in vertical gradients of sunlight. *Journal of Ecology* 53: 621-642.
- Grime J. P., Mason G., Curtis A. V., Rodman J., Band S. R., Mowforth M. A. G., Neal A. M. & Shaw S. (1981) A comparative study of germination characteristics in a local flora. *Journal of Ecology* 69: 1017-1059.
- Groom Q. J., Baker N. R. & Long S. P. (1991) Photoinhibition of holly (*Ilex-aquifolium*) in the field during the winter. *Physiologia Plantarum* 83: 585-590.
- Grubb P. J. (1977) The maintenance of species-richness in plant communities: the importance of the regeneration niche. *Biological Review* 52: 107-145.
- Grubb P. J. (1992) A positive distrust in simplicity - lessons from plant defences and from competition among plants and among animals. *Journal of Ecology* 80: 585-610.
- Grubb P. J. (1998) Seed mass and light-demand: the need to control for soil-type and plant stature. *New Phytologist* 138: 169-170.
- Grubb P. J., Lee W. G., Kollmann J. & Wilson J. B. (1996) Interaction of irradiance and soil nutrient supply on growth of seedlings of ten European tall-shrub species and *Fagus sylvatica*. *Journal of Ecology* 84: 827-840.
- Grubb P. J. & Metcalfe D. J. (1996) Adaptation and inertia in the Australian tropical lowland rainforest flora: contradictory trends in intergeneric and intrageneric comparisons of seed size in relation to light demand. *Functional Ecology* 10: 512-520.
- Handley W. R. C. (1963) *Mycorrhizal Associations and Calluna Heathland Afforestation*. HMSO, London.
- Hardwick K., Healey J., Elliot S., Garwood N. & Anusarnsunthorn V. (1997) Understanding and assisting natural regeneration processes in degraded seasonal evergreen forests in northern Thailand. *Forest Ecology and Management* 99: 203-214.



- Harmer R. & Gill R. (2000) *Natural Regeneration in Broadleaved Woodland: Deer Browsing and the Establishment of Advance Regeneration* Information Note 35. Forestry Commission, Edinburgh.
- Hart C. (1998) *Practical Forestry. For the Agent and Surveyor*. Sutton Publishing Ltd, Stroud, Gloucestershire.
- Heath G. H., Luckwill L. C. & Pullen O. J. (1938) The rooting systems of heath plants. *Journal of Ecology* 26: 331-352.
- Helliwell D. R. & Harrison A. F. (1979) Effects of light and weed competition on the growth of seedlings of four tree species on a range of soils. *Quarterly Journal of Forestry* 73: 169-171.
- Herbert R., Samuel S. & Patterson G. (1999) *Using Local Stock for Planting Native Trees and Shrubs* Practice Note 8. Forestry Commission, Edinburgh.
- Hester A. J., Miles J. & Gimingham C. H. (1991) Succession from heather moorland to birch woodland 1. Experimental alteration of specific environmental conditions in the field. *Journal of Ecology* 79: 303-315.
- Hester A. J., Mitchell F. J. G. & Kirby K. J. (1996a) Effects of season and intensity of sheep grazing on tree regeneration in a British upland woodland. *Forest Ecology And Management* 88: 99-106.
- Hester A. J., Miller D. R. & Towers W. (1996b) Landscape-scale vegetation change in the Cairngorms, Scotland, 1946-1988: Implications for land management. *Biological Conservation* 77: 41-51.
- Hewitt N. (1998) Seed size and shade-tolerance: a comparative analysis of North American temperate trees. *Oecologia* 114: 432-440.
- Hill M. O., Mountford J. O., Roy D. B. & Bunce R. G. H. (1999) *Ellenberg's Indicator Values for British Plants*. Institute of Terrestrial Ecology, Huntingdon.
- Hill M. O., Roy D. B., Mountford J. O. & Bunce R. G. H. (2000) Extending Ellenberg's indicator values to a new area: an algorithmic approach. *Journal of Applied Ecology* 37: 3-15.
- Hoffmann W. A. & Poorter H. (2002) Avoiding bias in calculations of Relative Growth Rate. *Annals of Botany* 80: 37-42.
- Hofgaard A. (1993) Structure and regeneration patterns in a virgin *Picea-Abies* forest in northern Sweden. *Journal of Vegetation Science* 4: 601-608.
- Hope J. C. E. (2003a) *Modelling Forest Landscape Dynamics in Glen Affric, Northern Scotland*. Unpublished PhD Thesis, University of Stirling.

## References

---

- Hope J. C. E. (2003b) The application of forest landscape models to planning for biodiversity. In: *The Potential of Applied Landscape Ecology to Forest Design Planning* (ed S. J. Bell) pp. 71-87. Forestry Commission, Edinburgh.
- Horn H. S. (1971) *The Adaptive Geometry of Trees*. Princeton University Press, Princeton, New Jersey.
- Hubbell S. P. & Foster R. B. (1992) Short-term dynamics of a neotropical forest - why ecological research matters to tropical conservation and management. *Oikos* 63: 48-61.
- Humphrey J. W. (2003) Modelling vegetation succession in Glen Affric: implications for biodiversity and tree regeneration in a forest landscape. In: *The Potential of Applied Landscape Ecology to Forest Design Planning* pp. 63-70. Forestry Commission, Edinburgh.
- Humphrey J. W., Newton A., Latham J., Gray H., Kirby K., Poulson E., & Quine C. (2003) The Restoration of Wooded Landscapes. Processings of a conference held at Heriot Watt University, Edinburgh, 14-15 September 2000. Forestry Commission, Edinburgh.
- Humphrey J. W. & Swaine M. D. (1997) Factors affecting the natural regeneration of *Quercus* in Scottish oakwoods .1. Competition from *Pteridium aquilinum*. *Journal of Applied Ecology* 34: 577-584.
- Hunt R. (1978) *Plant Growth Analysis*. Edward Arnold, London.
- Hunt R. (1990) *Basic Growth Analysis*. Unwin Hyman Ltd, London.
- Hutchinson T. C. (1967) Comparative studies of the ability of species to withstand prolonged periods of darkness. *Journal of Ecology* 55: 291-299.
- Ichie T., Kitahashi Y., Matsuki S., Maruyama Y. & Koike T. (2002) The use of a portable non-destructive type nitrogen meter for leaves of woody plants in field studies. *Photosynthetica* 40: 289-292.
- Igboanugo A. B. I. (1990) Effects of shading on shoot morphology, wood production and structure of *Quercus petraea* seedlings. *Forest Ecology and Management* 38: 27-36.
- Iqbal I. (1983) *An Introduction to Solar Radiation*. Academic Press, Toronto.
- Jaderlund A., Zackrisson O. & Nilsson M. C. (1996) Effects of bilberry (*Vaccinium myrtillus* L) litter on seed germination and early seedling growth of four boreal tree species. *Journal of Chemical Ecology* 22: 973-986.
- Jalal M. A. F. & Read D. J. (1983a) The organic-acid composition of *Calluna* heathland soil with special reference to phyto-toxicity and fungitoxicity. 1. Isolation and identification of organic-acids. *Plant and Soil* 70: 257-272.

- Jalal M. A. F. & Read D. J. (1983b) The organic-acid composition of *Calluna* heathland soil with special reference to phytotoxicity and fungitoxicity. 2. Monthly quantitative determination of the organic-acid content of *Calluna* and Spruce dominated soils. *Plant and Soil* 70: 273-286.
- Jarvis P. J. (1964) The adaptability to light intensity of seedlings of *Quercus petraea* (Matt.) Liebl. *Journal of Ecology* 52: 545-571.
- Jones E. W. (1959) Biological flora of the British Isles; *Quercus* L. *Journal of Ecology* 47: 169-222.
- Jones R. H. & Sharitz R. R. (1990) Effects of root competition and flooding on growth of chinese tallow tree seedlings. *Canadian Journal of Forest Research* 20: 573-578.
- Jones R. H., Sharitz K. W. & McLeod K. W. (1989) Effects of flooding and root competition on growth of shaded bottomland hardwood seedlings. *American Midland Naturalist* 121: 165-175.
- Kaelke C. M., Kruger E. L. & Reich P. B. (2001) Trade-offs in seedling survival, growth, and physiology among hardwood species of contrasting successional status along a light-availability gradient. *Canadian Journal of Forest Research* 31: 1602-1616.
- Kamaluddin M. (1991) *The Growth and Physiology of Tropical Forest Tree Seedlings in Relation to Light*. Unpublished PhD Thesis, University of Edinburgh.
- Kelly D. L. (2002) The regeneration of *Quercus petraea* (sessile oak) in southwest Ireland: a 25 year experimental study. *Forest Ecology and Management* 166: 207-226.
- Kerr G. & Evans J. (1993) *Growing Broadleaves for Timber*. Forestry Commission Handbook 9. HMSO, London.
- Kerr G., Nixon C. J. & Matthews R. W. (1992) Silviculture and yield of mixed-species stands: the UK experience. In: *The Ecology of Mixed-Species Stands of Trees* (eds M. G. R. Cannell, D. C. Malcolm, and P. A. Robertson) pp. 35-51. Blackwell Scientific Publications, Oxford.
- Keski-Saari S. & Julkunen-Tiitto R. (2003) Resource allocation in different parts of juvenile mountain birch plants: effect of nitrogen supply on seedling phenolics and growth. *Physiologia Plantarum* 118: 114-126.
- Kimmins J. P. (1987) *Forest Ecology*. MacMillan, New York.
- Kinnaird J. W. (1974) Effect of site conditions on the regeneration of Birch (*Betula pendula* Roth and *Betula Pubescens* Ehrh). *Journal of Ecology* 62: 467-472.

## References

---

- Kitajima K. (1994) Relative importance of photosynthetic traits and allocation patterns as correlates of seedling shade tolerance of 13 tropical trees. *Oecologia* 98: 419-428.
- Kitajima K. & Bolker B. M. (2003) Testing performance rank reversals among coexisting species: crossover point irradiance analysis by Sack & Grubb (2001) and alternatives. *Functional Ecology* 17: 276-281.
- Knox R. G., Harcombe P. A. & Elsie I. S. (1995) Contrasting patterns of resource limitation in tree seedlings across a gradient in soil texture. *Canadian Journal of Forest Research* 25: 1583-1594.
- Kobe R. K. (1999) Light gradient partitioning among tropical tree species through differential seedling mortality and growth. *Ecology* 80: 187-201.
- Kobe R. K. & Coates K. D. (1997) Models of sapling mortality as a function of growth to characterize interspecific variation in shade tolerance of eight tree species of northwestern British Columbia. *Canadian Journal of Forest Research* 27: 227-236.
- Kobe R. K., Pacala S. W., Silander J. A. & Canham C. D. (1995) Juvenile tree survivorship as a component of shade tolerance. *Ecological Applications* 5: 517-532.
- Kohyama T. (1987) Significance of architecture and allometry in saplings. *Functional Ecology* 1: 399-404.
- Kolb T. E., Steiner K. C., McCormick L. H. & Bowersox T. W. (1990) Growth-response of northern red-oak and yellow-poplar seedlings to light, soil-moisture and nutrients in relation to ecological strategy. *Forest Ecology and Management* 38: 65-78.
- Kullman L. (1986) Temporal and spatial-aspects of sub-alpine populations of *Sorbus aucuparia* in Sweden. *Annales Botanici Fennici* 23: 267-275.
- Kuppers M. (1985) Carbon relations and competition between woody species in a central European hedgerow. IV Growth form and partitioning. *Oecologia* 66: 343-352.
- Kuuluvainen T. & Juntunen P. (1998) Seedling establishment in relation to microhabitat variation in a windthrow gap in a boreal *Pinus sylvestris* forest. *Journal of Vegetation Science* 9: 551-562.
- Kuusela K. (1992) Boreal forestry in Finland: a forest ecology without fire. *Unasylva* 170: 22-25.
- Kwesiga F. R. & Grace J. (1986) The role of the red/far-red ratio in the response of tropical tree seedlings to shade. *Annals of Botany* 57: 283-290.

- Kwesiga F.R., Grace J., Sandford A.P. (1986) Some photosynthetic characteristics of tropical timber trees as affected by the light regime during growth. *Annals of Botany* 58: 23-32.
- Lambers H. & Poorter H. (1992) Inherent variation in growth rate between higher plants: a search for physiological causes and ecological consequences. *Advances in Ecological Research* 23: 187-261.
- Latham R. E. (1992) Co-occurring tree species change rank in seedling performance with resources varied experimentally. *Ecology* 73: 2129-2144.
- Leake J. R. (1992) The role of ericoid mycorrhizas in the nitrogen nutrition and ecology of heathland ecosystems. In: *Mycorrhizas in Ecosystems* (eds D. J. Read, D. H. Lewis, A. H. Fitter, and I. J. Alexander) pp. 227-236. CAB International, Oxford.
- Lee, J. & Wong, D.W.S. (2001). *Statistical Analysis with Arcview GIS*. John Wiley & Sons, New York.
- Leishman M. R. & Westoby M. (1994) The role of large seed size in shaded conditions: experimental evidence. *Functional Ecology* 8: 205-214.
- Linder P., Elfving B. & Zackrisson O. (1997) Stand structure and successional trends in virgin boreal forest reserves in Sweden. *Forest Ecology and Management* 98: 17-33.
- Linnenbrink M., Losch R. & Kappen L. (1992) Water relations of hedgerow shrubs in northern Central Europe. I. Bulk water relations. *Flora* 187: 121-133.
- Loach K. (1967) Shade tolerance in tree seedlings. Leaf photosynthesis and respiration in plants raised under artificial shade. *New Phytologist* 66: 607-621.
- Loach K. (1970) Shade tolerance in tree seedlings. II. Growth analysis of plants raised under artificial shade. *New Phytologist* 69: 273-286.
- Lorimer C. G., Chapman J. W. & Lambert W. D. (1994) Tall understorey vegetation as a factor in the poor development of oak seedlings beneath mature stands. *Journal of Ecology* 82: 227-237.
- Lutz H. J. (1945) Vegetation on a trenched plot twenty-one years after establishment. *Ecology* 26: 200-202.
- MacRae F. (1980) The native pinewoods of Glen Affric. *Aboriculture Journal* 4: 1-10.
- Malcolm D. C. (1957) *Site Degradation in Stands of Natural Pine in Scotland*. Bulletin Forestry Department University. 4, 39.
- Mallik A. U. (1995) Conversion of temperate forests into heaths-the role of ecosystem disturbance and ericaceous plants. *Environmental Management* 19: 675-684.

## References

---

- Maranon T. & Grubb P. J. (1993) Physiological basis and ecological significance of the seed size and relative growth rate relationship in Mediterranean annuals. *Functional Ecology* 7: 591-599.
- Mason W. L., Hardie D., Quelsh P., Ratcliffe P. R., Ross I. S. & Soutar R. (1999) Beyond the two solitudes: the use of native species in plantation forests. *Scottish Forestry* 53: 135-144.
- Mason W. L. & Humphrey J. W. (1999) Silviculture and forest biodiversity: What can we learn from Scots pine forests in Europe? *Acta del Congreso de ordenacion y gestion Sortenible de Montes, Santiago de Compostela* 2: 549-562.
- McEvoy C. & McKay H. (1997) Root frost hardiness of amenity broadleaved seedlings. *Arboricultural Journal* 21: 231-244.
- McKenzie N. & Callender R. (1995) *The Native Woodland Resource in the Highlands*. Technical Paper 12. Forestry Commission, Edinburgh.
- McLaren J. S. & Smith H. (1978) Phytochrome control of the growth and development of *Rumex obtusifolius* under simulated canopy light environment. *Plant Cell and Environment* 1: 61-67.
- McNeill W. M. (1955) Studies of surface vegetation and natural regeneration in a mature Scots pine wood in Aberdeenshire. *Forestry* 28: 49-65.
- McVean D. N. (1953) *Alnus glutinosa* (L.). *Journal of Ecology* 41: 447-466.
- McVean D. N. (1956a) Ecology of *Alnus Glutinosa* (L.) Gaertn: III. Seedling Establishment. *Journal of Ecology* 44: 195-218.
- McVean D. N. (1956b) Ecology of *Alnus Glutinosa* (L.) Gaertn:IV. Root System. *Journal of Ecology* 44: 219-225.
- McVean D. N. (1963a) Growth and mineral nutrition of Scots pine seedlings on some common peat types. *Journal of Ecology* 51: 657-670.
- McVean D. N. (1963b) Ecology of Scots pine in the Scottish Highlands. *Journal of Ecology* 51: 671-686.
- McVean D. N. (1964) Woodland and scrub. In: *The Vegetation of Scotland* (ed J. H. Burnett) pp. 144-165. Oliver & Boyd, Edinburgh.
- McVean D. N. & Ratcliffe D. A. (1962) *Plant Communities of the Scottish Highlands*. HMSO, London.
- Messier C. & Puttonen P. (1995) Growth, allocation and morphological responses of *Betula pubescens* and *Betula pendula* to shade in developing Scots pine stands. *Canadian Journal of Forest Research* 25: 629-637.

- Miles J. (1974a) Experimental establishment of new species from seed in Callunetum in North-East Scotland. *Journal of Ecology* 62: 657-687.
- Miles J. (1974b) Effects of experimental interference with stand structure on establishment of seedlings in Callunetum. *Journal of Ecology* 62: 657-687.
- Miles J. (1985) The pedogenic effects of different species and vegetation types and the implications of succession. *Journal of Soil Science* 36: 571-584.
- Miles J. (1986) What are the effects of trees on soils? In: *Trees and Wildlife in the Scottish Uplands* pp. 55-62. Institute of Terrestrial Ecology, Banchory.
- Miles J. (1988) Vegetation and soil change in the uplands. In: *Ecological Change in the Uplands* (eds M. B. Usher and D. B. A. Thompson) pp. 57-70. Blackwell Scientific Publications, London.
- Miller G. R. & Cummins R. P. (1998) Browsing by red deer on naturally regenerated birch and juniper saplings on wintering ground at Glen Feshie. *Scottish Forestry* 52: 138-145.
- Miller G. R., Cummins R. P. & Hester A. J. (1998) Red deer and woodland regeneration in the Cairngorms. *Scottish Forestry* 52: 12-20.
- Miles J. & Kinnaird J. W. (1979) The establishment and regeneration of birch, juniper and Scots pine in the Scottish Highlands. *Scottish Forestry* 33: 102-119.
- Miller G. R., Kinnaird J. W. & Cummins R. P. (1982) Liability of saplings to browsing on a red deer range in the Scottish Highlands. *Journal of Applied Ecology* 19: 941-951.
- Mitchie J. G. (1901) *The records of Invercauld, 1547-1828*. New Spalding Club, Aberdeen.
- Morgan J. (1999) *Forest Tree Seedlings. Best Practice in Supply, Treatment and Planting*. Bulletin 121. Forestry Commission, Edinburgh.
- Mountford E. P. & Peterken G. P. (2001) Growth, mortality and regeneration in Craigellachie, a semi-natural birchwood in the Scottish Highlands. *Botanical Journal of Scotland* 52: 187-211.
- Mulkey S. S., Chazdon R. L. & Smith A. P. (1996) *Tropical Forest Plant Ecophysiology*. Chapman & Hall, London.
- Newbold A. J. & Goldsmith F. B. (1981) *The Regeneration of Oak and Beech: a Literature Review* Discussion Papers in Conservation No. 33. University College London.

## References

---

- Newton A. C. & Humphrey J. W. (1997) Forest management for biodiversity: perspectives on the policy context and current initiatives. In: *Biodiversity in Scotland: Trends and Initiatives*. (eds L. V. Fleming, A. C. Newton, J. A. Vickery, and M. B. Usher) pp. 179-197. The Stationary Office, Edinburgh.
- Niinemets U. (1997) Role of foliar nitrogen in light harvesting and shade tolerance of four temperate deciduous woody species. *Functional Ecology* 11: 518-531.
- Nisbet T. R., Mullins C. E. & McLeod D. A. (1989) The variation of soil water regime, oxygen status and rooting pattern with soil type under Sitka spruce. *Journal of Soil Science* 40: 183-197.
- Nixon C. J. & Clifford T. (1995) The age and structure of native pinewood remnants. In: *Our Pinewood Heritage* (ed J. R. Aldhous) pp. 177-185. Forestry Commission, Surrey.
- Nygren M. & Kellomaki S. (1983) Effect of shading on leaf structure and photosynthesis in young birches, *Betula pendula* Roth and *B. pubescens* Ehrh. *Forest Ecology and Management* 7: 119-132.
- Ogilvy T. (1999) *Challenges Facing the Restoration of the Ancient Boreal Forests in the Highlands of Scotland*. Unpublished MSc. Dissertation, Oxford University.
- Ohlson M. (1995) Growth and nutrient characteristics in bog and fen populations of Scots pine (*Pinus sylvestris*). *Plant and Soil* 172: 235-245.
- Oliver C. D. (1981) Forest development in North America following major disturbances. *Forest Ecology and Management* 3: 153-168.
- Oliver C. D. & Larson B. C. (1996) *Forest Stand Dynamics* Biological Resource Management Series. McGraw-Hill Inc., New York.
- Osonubi O. & Davies W. J. (1981) Root-growth and water relations of oak and birch seedlings. *Oecologia* 51: 343-350.
- O'Sullivan P. E. (1977) Vegetation history and native pinewoods. In: *Native Pinewoods of Scotland* (eds R. G. H. Bruce and J. N. R. Jeffers) pp. 60-69. Institute of Terrestrial Ecology, Cambridge.
- Osunkoya O. O., Ash J. E., Hopkins M. S. & Graham A. W. (1994) Influence of seed size and seedling ecological attributes on shade tolerance of rainforest tree species in northern Queensland. *Journal of Ecology* 82: 149-163.
- Ovington J. D. & MacRae C. (1960) The growth of seedlings of *Quercus petraea*. *Journal of Ecology* 48: 549-555.
- Pacala S. W., Canham C. D., Silander J. A. & Kobe R. K. (1994) Sapling growth as a function of resources in a north temperate forest. *Canadian Journal of Forest Research* 24: 2172-2183.



- Page L. M., Cameron A. D. & Clarke G. C. (2001) Influence of overstorey basal area on density and growth of advance regeneration of Sitka spruce in variably thinned stands. *Forest Ecology and Management* 151: 25-35.
- Patterson G. (1993) *The Value of Birch in Upland Forests for Wildlife Conservation* Bulletin 109. Forestry Authority, Surrey.
- Payne R. W. (2002) *The Guide to Genstat: 2. Statistics (Genstat Release 6.1)*. VSN International, Oxford.
- Pears N. V. (1988) Scots pine (*Pinus sylvestris*) seedling survival above the tree line in the Cairngorm mountains, Scotland. *Forestry* 61: 61-71.
- Perring, F.H. & Walters S.M. (1962) *Atlas of the British Flora*. Thomas Nelson & Sons, London.
- Persson H. (1980) Spatial distribution of fine-root growth, mortality and decomposition in a young Scots pine stand in Central Sweden. *Oikos* 34: 77-87.
- Peterken G. F. (1966) Mortality of Holly (*Ilex aquifolium*) seedlings in relation to natural regeneration in the New Forest. *Journal of Ecology* 54: 259-269.
- Peterken G. F. (1985) The status of native woods in the Scottish uplands. In: *Trees and Wildlife in the Scottish Uplands* (ed D. Jenkins) pp. 14-19. Institute of Terrestrial Ecology, Abbots Ripton.
- Peterken G. F. (1989) Ecological issues in the management of woodland nature reserves. In: *The Scientific Management of Temperate Communities for Conservation* (eds I. F. Spellerberg, F. B. Goldsmith, and M. G. Morris). Symposium Proceedings of the British Ecological Society, Southampton.
- Peterken G. F. (1992) Coppices in the lowland landscape. In: *Ecology and Management in Coppice Woodlands* pp. 3-17. Chapman & Hall, London.
- Peterken G. F. (1996) *Natural Woodland. Ecology and Conservation in Northern Temperate Regions*. Cambridge University Press, Cambridge.
- Peterken G. F. & Lloyd P. S. (1967) *Ilex aquifolium* L. *Journal of Ecology* 55: 841-858.
- Peterken G. F. & Stace C. E. (1987) Structure and development of the Blackwood of Rannoch. *Scottish Forestry* 41: 29-44.
- Phares R. E. (1971) Growth of Red Oak (*Quercus Rubra* L.) seedlings in relation to light and nutrients. *Ecology* 52: 669-672.
- Pickett S. T. A. & White P. S. (1985) *The Ecology of Natural Disturbance and Patch Dynamics*. Academic Press, Orlando.

## References

---

- Pitkin P. H., Lusby P. S. & Wright J. (1995) Biodiversity and ecology of pinewood plants. In: *Our Pinewood Heritage* (ed J. R. Aldhous) pp. 196-205. Forestry Commission, Surrey.
- Poorter L. (1999) Growth responses of 15 rainforest tree species to a light gradient: the relative importance of morphological and physiological traits. *Functional Ecology* 13: 396-410.
- Popma J. & Bongers F. (1988) The effect of canopy gaps on growth and morphology of seedlings of rain-forest species. *Oecologia* 75: 625-632.
- Popma J., Bongers F. & Werger M. J. A. (1992) Gap dependence and leaf characteristics of trees in a tropical lowland rainforest in Mexico. *Oikos* 63: 207-214.
- Potter D. A. (1992) Abundance and mortality of a specialist leafminer in response to experimental shading and fertilization of American holly. *Oecologia* 91: 14-22.
- Press M. C., Brown N. D., Barker M. G. & Zipperlen S. W. (1996) *Photosynthetic Responses to Light in Tropical Forest Tree Seedlings*. UNESCO/MAB workshop.
- Pryor S. (2003) The costs and benefits of restoring plantations versus creating new native woodland. In: *The Restoration of Wooded Landscapes. Processings of a Conference held at Heriot Watt University, Edinburgh, 14-15 September 2000* (eds J. Humphrey, A. Newton, J. Latham, H. Gray, K. Kirby, E. Poulson, and C. Quine) pp. 115-124. Forestry Commission, Edinburgh.
- Pukkala T., Kuuluvainen T. & Stenberg P. (1993) Below-canopy distribution of photosynthetically active radiation and its relation to seedling growth in a Boreal *Pinus sylvestris* stand: A simulation approach. *Scandinavian Journal of Forest Resources* 8: 313-325.
- Putman R. J. (2000) Diet of pine martens *Martes martes* L. in west Scotland. *Journal of Natural History* 34: 793-797.
- Putz F. E. & Canham C. D. (1992) Mechanisms of arrested succession in shrublands - root and shoot competition between shrubs and tree seedlings. *Forest Ecology and Management* 49: 267-275.
- Pyatt D. G. (1982) *Soil Classification*. Information Note 68/82/SSN. Forestry Commission, Edinburgh.
- Pyatt D.G., Ray D. & Fletcher J. (2001) *An Ecological Site Classification for Forestry in Great Britain*. Bulletin 124. Forestry Commission, Edinburgh.
- Pyatt D. G. & Suarez J. C. (1997) *An Ecological Site Classification for Forestry in Great Britain with Special Reference to Grampian, Scotland*. Technical Paper 20. Forestry Commission, Edinburgh.

- Quine C. P., Humphrey J. W. & Ferris R. (1999) Should the wind disturbance patterns observed in natural forests be mimicked in planted forests in the British uplands? *Forestry* 72: 337-358.
- Quinn G. P. & Keough M. J. (2002) *Experimental Design and Data Analysis for Biologists*. Cambridge University Press, Cambridge.
- Rackham O. (1980) *Ancient Woodland: Its History, Vegetation and Uses in England*. Edward Arnold, London.
- Radford, P.J. (1967) Growth analysis formula - their use and abuse. *Crop Science* 7: 171-175
- Ramsay P. (1996) *Revival of the Land. Creag Meagaidh National Nature Reserve*. Scottish Natural Heritage.
- Raspe O., Findlay C. & Jacquemart A. L. (2000) *Sorbus aucuparia* L. *Journal of Ecology* 88: 910-930.
- Ray D. (2001) Ecological Site Classification. A PC-based decision support system for British forests. Forestry Commission, Edinburgh.
- Read J. & Hill R. S. (1985) Photosynthetic responses to light of Australian and Chilean species of *Nothofagus* and their relevance to the rainforest dynamics. *New Phytologist* 101: 731-742.
- Reich P. B., Tjoelker M. G., Walters M. B., VanderKlein D. W. & Bushena C. (1998a) Close association of RGR, leaf and root morphology, seed mass and shade tolerance in seedlings of nine boreal tree species grown in high and low light. *Functional Ecology* 12: 327-338.
- Reich P. B., Walters M. B., Tjoelker M. G., Vanderklein D. & Buschena C. (1998b) Photosynthesis and respiration rates depend on leaf and root morphology and nitrogen concentration in nine boreal tree species differing in relative growth rate. *Functional Ecology* 12: 395-405.
- Reich P. B., Walters M. B., Ellsworth D. S., Vose J. M., Volin J. C., Gresham C. & Bowman W. D. (1998c) Relationships of leaf dark respiration to leaf nitrogen, specific leaf area and leaf life-span: a test across biomes and functional groups. *Oecologia* 114: 471-482.
- Reich P. B., Walters M. B. & Ellsworth D. S. (1992) Leaf lifespan in relation to leaf plant and stand characteristics among diverse ecosystems. *Ecological Monographs* 62: 365-329.
- Rich P. M. (1990) Characterising plant canopies with hemispherical photographs. *Remote Sensing Reviews* 5: 13-29.
- Rodwell J. S. (1991) *British Plant Communities. I, Woodlands and Scrub*. Cambridge University Press, Cambridge.

## References

---

- Rodwell J. S. & Patterson G. (1994) *Creating New Native Woodlands* Forestry Commission Bulletin 112. HMSO, London.
- Rowell D. L. (1994) *Soil Science: Methods and Application*. Longman Scientific & Technical, Harlow, Essex.
- Sack L. & Grubb P. J. (2001) Why do species of woody seedlings change rank in relative growth rate between low and high irradiance? *Functional Ecology* 15: 145-154.
- Sack L. & Grubb P. J. (2002) The combined impacts of deep shade and drought on the growth and biomass allocation of shade-tolerant woody seedlings. *Oecologia* 131: 175-185.
- Sack L. & Grubb P. J. (2003) Crossovers in seedling relative growth rates between low and high irradiances: analyses and ecological potential. *Functional Ecology* 17: 281-287.
- Salisbury E. J. (1942) *The Reproductive Capacity of Plants: Studies in Quantitative Biology*. Bell, London.
- Savill P. S. (1998) *The Silviculture of Trees used in British Forestry*. CAB International, Oxford.
- Scholes J. D., Press M. C. & Zipperlen S. W. (1997) Differences in light energy utilisation and dissipation between dipterocarp rain forest tree seedlings. *Oecologia* 109: 41-48.
- Schupp E. W., Howe H. F., Augspurger C. K. & Levey D. J. (1989) Arrival and survival in tropical tree fall gaps. *Ecology* 70: 562-564.
- Schweingruber F. H. (1988) *Tree Rings: Basics and Application of Dendrochronology*. D.Reidel Publishing Company, Dordrecht, Holland.
- Scottish Natural Heritage (1995) *Natura 2000: A Guide to the 1992 EC Habitats Directive in Scotland's Terrestrial Environment*. Scottish Natural Heritage, Perth.
- Shaw M. W. (1974) The reproductive characteristics of oak. In: *The British Oak, its History and Natural History* (eds M.G.Morris and F.H.Perring) pp. 162-181. E.W. Classey Ltd, Berkshire.
- Shaw H. & Tipping R. (2003) Allt an Laghair, East Glen Affric: Recent Woodland History from Pollen Analysis. In: *The Quaternary of Glen Affric and Kintail* (ed R. Tipping) pp 105-110. Unpublished Field Guide, University of Stirling.
- Shipley B. & Peters R. H. (1990) The allometry of seed weight and seedling relative growth rate. *Functional Ecology* 4: 523-529.
- Shugard H. H. (1984) *A Theory of Forest Dynamics*. Springer, New York.

- Smith H. (1982) Light quality, photoperception and plant strategy. *Annual Review of Plant Physiology* 33: 481-518.
- Smith T. & Huston M. (1989) A theory of the spatial and temporal dynamics of plant communities. *Vegetatio* 83: 49-70.
- Smout, T. C. (2003) 'To stand in them is to feel the past': pinewoods and birchwoods in the Scottish Uplands. In: Walking and Working in the Footsteps of Ghosts. The pre-published proceedings and notes of the international conference (ed I.D. Rotherham, C. Handley) pp. 32-36. Wildtrack Publishing, Sheffield.
- Smout T. C. & Watson F. (1997) Exploiting semi-natural woods, 1600-1800. In: *Scottish Woodland History* (ed T. C. Smout) pp. 86-100. Scottish Cultural Press, Edinburgh.
- Spurr S. H. & Barnes B. V. (1998) *Forest Ecology*. John Wiley, New York.
- Stace C. (1999) *Field Flora of the British Isles*. Cambridge University Press, Cambridge.
- Stains B. W. (1995) The impact of red deer on the regeneration of native pinewoods. In: *Our Pinewood Heritage* (ed J. R. Aldhous) pp. 107-114. Forestry Commission, Surrey.
- Steijlen I. & Zackrisson O. (1987) Long-term regeneration dynamics and successional trends in a northern Swedish coniferous forest stand. *Canadian Journal of Botany* 65: 839-848.
- Steven H. M. & Carlisle A. (1959) *The Native Pinewoods of Scotland*. Oliver & Boyd, Edinburgh.
- Strauss Debenedetti S. & Bazzaz F. A. (1991) Plasticity and acclimation to light in tropical *Moraceae* of different successional positions. *Oecologia* 87: 377-387.
- Stribley D. P. & Read D. J. (1980) The biology of *Mycorrhizas* in the *Ericaceae* VII. The relationship between mycorrhizal infection and the capacity to utilize simple and complex organic-N sources. *New Phytologist* 86: 365-371.
- Summers R. W., Mavor R. A., MacLennana A. M. & Rebecca G. W. (1999) The structure of ancient native pinewoods and other woodlands in the Highlands of Scotland. *Forest Ecology and Management* 119: 231-245.
- Swaine M. D. & Lieberman D. (1987) Special issue - The dynamics of tree populations in tropical forest - 7th Aberdeen Hull Symposium - Introduction. *Journal of Tropical Ecology* 3: 287-290.
- Swaine M. D. & Whitmore T. C. (1988) On the definition of ecological species groups in tropical rain forests. *Vegetatio* 75: 81-86.

## References

---

- Tapper P. G. (1992) Demography of persistent juveniles in *Fraxinus excelsior*. *Ecography* 15: 385-392.
- Tapper P. G. (1993) The replacement of *Alnus glutinosa* by *Fraxinus excelsior* during succession related to regenerative differences. *Ecography* 16: 212-218.
- Tapper P. G. (1996) Tree dynamics in a successional *Alnus-Fraxinus* woodland. *Ecography* 19: 237-244.
- Thomas S. C. & Bazzaz F. A. (1999) Asymptotic height as a predictor of photosynthetic characteristics in Malaysian rain forest trees. *Ecology* 80: 1607-1622.
- Thompson R., Humphrey J., Harmer R. & Ferris R. (2003) *Restoration in Native Woodland on Ancient Woodland Sites*. Practice Guide 14. Forestry Commission, Edinburgh.
- Turner I. M. (1990) The seedling survivorship and growth of three *Shorea* species in a Malaysia tropical rainforest. *Journal of Tropical Ecology* 6: 469-478.
- UKWAS (2000) *Biodiversity: the UK Steering Group Report. Vol 2: Action Plans*. HMSO, London.
- Vaartaja O. (1962) The relationship of fungi to survival of shaded tree seedlings. *Ecology* 43: 547-549.
- Van Hees A. F. M. & Clerkx A. P. P. M. (2003) Shading and root-shoot relations in saplings of silver birch, pedunculate oak and beech. *Forest Ecology and Management* 176: 439-448.
- Vanha-Majamaa I., Tuittila E. S., Tonteri T. & Suominen R. (1996) Seedling establishment after prescribed burning of a clear-cut and partially cut mesic boreal forest in southern Finland. *Silva Fennica* 30: 31-45.
- Veenendaal E. M., Swaine M. D., Agyeman V. K., Blay D., Abebrese I. K. & Mullins C. E. (1996) Differences in plant and soil water relations in and around a forest gap in West Africa during the dry season may influence seedling establishment and survival. *Journal of Ecology* 83: 83-90.
- Veenendaal E. M., Swaine M. D., Lecha R. T., Walsh M. F., Abebrese I. K. & Owusu-Afriyie K. (1995) Responses of West African forest tree seedlings to irradiance and soil fertility. *Functional Ecology* 10: 501-511.
- Veneklaas E. J. & Poorter L. (1998) Growth and carbon partitioning of tropical tree seedlings in contrasting light environments. In: *Inherent Variation in Plant Growth. Physiological Mechanisms and Ecological Consequences* (eds H. Lambers, H. Poorter, and M. M. I. Van Vuuren) pp. 337-361. Backhuys Publishers, Leiden.
- Venus J. C. & Causton D. R. (1979) Plant growth analysis: a re-examination of the methods of calculation of relative growth and net assimilation rates without using fitted functions. *Annals of Botany* 43: 633-638.

- Vera F. W. M. (2000) *Grazing Ecology and Forest History*. CABI Publishing, Wallingford, Oxon.
- Walsh J. W. T. (1961) *The Science of Daylight*. McDonald, London.
- Walters M. B., Kruger E. L. & Reich P. B. (1993a) Relative growth-rate in relation to physiological and morphological traits for northern hardwood tree seedlings - species, light environment and ontogenic considerations. *Oecologia* 96: 219-231.
- Walters M. B., Kruger E. L. & Reich P. B. (1993b) Growth, biomass distribution and CO<sub>2</sub> exchange of northern hardwood seedlings in high and low light: relationships with successional status and shade tolerance. *Oecologia* 94: 7-16.
- Walters M. B. & Reich P. B. (1996) Are shade tolerance, survival, and growth linked? Low light and, nitrogen effects on hardwood seedlings. *Ecology* 77: 841-853.
- Walters M. B. & Reich P. B. (1997) Growth of *Acer saccharum* seedlings in deeply shaded understories of northern Wisconsin: Effects of nitrogen and water availability. *Canadian Journal of Forest Research* 27: 237-247.
- Walters M. B. & Reich P. B. (1999) Low-light carbon balance and shade tolerance in the seedlings of woody plants: do winter deciduous and broad-leaved evergreen species differ? *New Phytologist* 143: 143-154.
- Walters M. B. & Reich P. B. (2000a) Seed size, nitrogen supply, and growth rate affect tree seedling survival in deep shade. *Ecology* 81: 1887-1901.
- Walters M. B. & Reich P. B. (2000b) Trade-offs in low-light CO<sub>2</sub> exchange: a component of variation in shade tolerance among cold temperate tree seedlings. *Functional Ecology* 14: 155-165.
- Wang J. R., Hawkins C. D. B. & Letchford T. (1998) Relative growth rate and biomass allocation of paper birch (*Betula papyrifera*) populations under different soil moisture and nutrient regimes. *Canadian Journal of Forest Research* 28: 44-55.
- Wardle P. (1959) The regeneration of *Fraxinus excelsior* in woods with a field layer of *Mercurialis perennis*. *Journal of Ecology* 47: 483-479.
- Warrington I. J., Rook D. A., Morgan D. C. & Turnbull H. L. (1989) The influence of simulated shadelight and daylight on growth, development and photosynthesis of *Pinus radiata*, *Agathis australis* and *Dacrydium cupressinum*. *Plant Cell and Environment* 12: 343-356.
- Watt A. S. & Fraser G. K. (1933) Tree roots and the field layer. *Journal of Ecology* 21: 404-414.
- Welander N. T. & Ottosson B. (1998) The influence of shading on growth and morphology in seedlings of *Quercus robur* L. and *Fagus sylvatica* L. *Forest Ecology and Management* 107: 117-126.

## References

---

- Welander N. T. & Ottosson B. (2000) The influence of low light, drought and fertilization on transpiration and growth in young seedlings of *Quercus robur* L. *Forest Ecology and Management* 127: 139-151.
- Whitmore T. C. (1982) On pattern and process in forests. In: *The Plant Community as a Working Mechanism* pp. 45-59. Blackwell Scientific Publications, Oxford.
- Whitmore T. C. (1989) Canopy gaps and the major groups of forest trees. *Ecology* 70: 536-538.
- Whitmore T. C. (1990) *An Introduction to Tropical Rain Forests*. Clarendon Press, Oxford.
- Whitney G. G. (1976) The bifurcation ratio as an indicator of adaptive strategy in woody plant species. *Bulletin of The Torrey Botanical Club* 103: 67-72.
- Wield M. (2001) Glen Affric: a case study for biodiversity. *The Horticulturist* Spring: 6-8.
- Wilkins E. L. (2002) *Factors Affecting the Spatial Distribution of Rowan (Sorbus aucuparia) Regeneration in the Caledonian Pine Forest*. Unpublished BSc. (Hons.) Dissertation, University of Edinburgh.
- Wilson B. R. & Campbell A. J. P. (1996) An assessment of the effects of native woodland expansion on soils in the Highlands of Scotland. *Scottish Forestry* 50: 199-209.
- Wilson S. M. (1998) *The Quantification of Soil Nutrient Regime in British Forests and its Assessment from Ground Vegetation and Humus Type*. Unpublished PhD Thesis, University of Edinburgh.
- Wilson S. M. (2002) *Ecological Site Classification - Sampling of Very Poor and Poor Sites*. Unpublished Forestry Commission Internal Report.
- Wilson S. M., Pyatt D. G., Malcolm D. C. & Connolly T. (2001) The use of ground vegetation and humus type as indicators of soil nutrient regime for an ecological site classification of British forests. *Forest Ecology and Management* 140: 101-116.
- Wolff H. & Tipping R. (1999) *Recent Vegetation Change Within the Pinewoods of East Glen Affric for their Conservation Management*. Internal Report, Stirling University.
- Wolff H. & Tipping R. (2003) *Recent Woodland History in the Pinewoods of East Glen Affric*. In: *The Quaternary of Glen Affric and Kintail* (ed R. Tipping) pp 97-104. Unpublished Field Guide, University of Stirling.
- Woodward S. & Pocock S. (1996) Formation of the ligno-suberized barrier zone and wound periderm in four species of European broadleaved trees. *European Journal of Forest Pathology* 26: 97-105.



- Woodward F. I. (1990) From ecosystems to genes: the importance of shade tolerance. *Trends in Ecology and Evolution* 5: 111-115.
- Worrell R. (1996) *The Boreal Forests of Scotland* Technical Paper 14. Forestry Commission, Edinburgh.
- Yapp W. B. (1953) The high level woodlands of the English Lake District. *Northwest Naturalist* 1: 190-207.
- Zehetmayr J. W. L. (1954) *Experiments in Tree Planting on Peat*. Forestry Commission Bulletin 22. HMSO, London.
- Ziegenhagen B. & Kausch W. (1995) Productivity of young shaded oaks (*Quercus robur* L) as corresponding to shoot morphology and leaf anatomy. *Forest Ecology and Management* 72: 97-108.

